

A2211Series 2.00mm Pitch Series Wire to Board Connectors




SPECIFICATIONS:


Voltage Rating：250V AC/DC
Current Rating：2A AC/DC
Withstanding Voltage：800V AC/Minute
Temperature Range：-25°C~+85°C
Insulation Resistance：1000MΩ Min.
Contact Resistance：30mΩ Max.
Applicable Wire Range：AWG#24~28.

Assembly Layout:





A2211H-2NP-N0BK 2.00mm Pitch Dual Row Housing



Reference Informations:
*Material:
Housing: PA66 UL94V-0/Black
*Suitable LDZY A2211 series Terminal
*Mates with LDZY A2211 series Wafer
Ordering Information & Dimensions


Poles	Dimensions (mm)	
	A	B
2*2	2.00	6.00
2*3	4.00	8.00
2*4	6.00	10.00
2*5	8.00	12.00
2*6	10.00	14.00
2*7	12.00	16.00
2*8	14.00	18.00
2*9	16.00	20.00
2*10	18.00	22.00
2*11	20.00	24.00
2*12	22.00	26.00
2*13	24.00	28.00
2*14	26.00	30.00
2*15	28.00	32.00
2*16	30.00	34.00
2*17	32.00	36.00
2*18	34.00	38.00
2*19	36.00	40.00
2*20	38.00	42.00

LDZY

A2211 Series 2.00mm Pitch Series Wire to Board Connectors

A2211TF-PT1 2.00mm Pitch Terminal

Reference Informations:
*Material: Phosphor Bronze/Tin-plated
*Mates with LDZY A2211 series Housing




Ordering Information & Specifications

Part No	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
A2211TF-PT1	AWG#22-#30	1.45mm(max)	Phosphor Bronze	Tin-plated	10,000pcs

A2211WV-2NP-N0BKT 2.00mm Pitch 180° Dual Row Wafer

Reference Informations:
*Material:
PIN: Brass/Tin-plated
Wafer: PA66,UL94V-0 / Black
*Suitable LDZY A2211 series Housing




Ordering Information & Dimensions

Poles	Dimensions (mm)	
	A	B
2*2	2.00	6.00
2*3	4.00	8.00
2*4	6.00	10.00
2*5	8.00	12.00
2*6	10.00	14.00
2*7	12.00	16.00
2*8	14.00	18.00
2*9	16.00	20.00
2*10	18.00	22.00
2*11	20.00	24.00
2*12	22.00	26.00
2*13	24.00	28.00
2*14	26.00	30.00
2*15	28.00	32.00
2*16	30.00	34.00
2*17	32.00	36.00
2*18	34.00	38.00
2*19	36.00	40.00
2*20	38.00	42.00

LDZY

A2211 Series 2.00mm Pitch Series Wire to Board Connectors


A2211WVFS-2NP-6TNAT 2.00mm Pitch 180° Dual Row Wafer



Reference Informations:
*Material:
PIN: Brass/Tin-plated
Solder Tabs: Brass/Tin-plated
Wafer: PA6T,UL94V-0 /Natrual
*Suitable LDZY A2211 series Housing
Ordering Information & Dimensions

Poles	Dimensions (mm)		
	A	B	C
2*2	2.00	8.50	4.00
2*3	4.00	10.50	6.00
2*4	6.00	12.50	8.00
2*5	8.00	14.50	10.00
2*6	10.00	16.50	12.00
2*7	12.00	18.50	14.00
2*8	14.00	20.50	16.00
2*9	16.00	22.50	18.00
2*10	18.00	24.50	20.00
2*11	20.00	26.50	22.00
2*12	22.00	28.50	24.00
2*13	24.00	30.50	26.00
2*14	26.00	32.50	28.00
2*15	28.00	34.50	30.00
2*20	38.00	44.50	40.00

A2211WR-2NP-N0BKT 2.00mm Pitch 90° Dual Row Wafer



Reference Informations:
*Material:
PIN: Brass/Tin-plated
Wafer: PA66,UL94V-0 / Black
*Suitable LDZY A2211 series Housing
Ordering Information & Dimensions

Poles	Dimensions (mm)	
	A	B
2*2	2.00	6.00
2*3	4.00	8.00
2*4	6.00	10.00
2*5	8.00	12.00
2*6	10.00	14.00
2*7	12.00	16.00
2*8	14.00	18.00
2*9	16.00	20.00
2*10	18.00	22.00
2*11	20.00	24.00
2*12	22.00	26.00
2*13	24.00	28.00
2*14	26.00	30.00
2*15	28.00	32.00
2*16	30.00	34.00
2*17	32.00	36.00
2*18	34.00	38.00
2*19	36.00	40.00
2*20	38.00	42.00