

C2003 Series 2.00mm Pitch Series Wire to Wire Connectors




SPECIFICATIONS:


Voltage Rating：125V AC/DC
Current Rating：2A AC/DC
Withstanding Voltage：500V AC/Minute
Temperature Range：-25°C~+85°C
Insulation Resistance：1000MΩ Min.
Contact Resistance：20mΩ Max.
Applicable Wire Range：AWG#24~28.


Assembly Layout:



C2003HF-NP-POWH 2.00mm Pitch Single Row Housing








Reference Informations:
*Material:
Housing: PBT UL94V-0/White
*Suitable LDZY C2003 series Terminal
*Mates with LDZY C2003 Male Housing
Ordering Information & Dimensions

Poles	Dimensions (mm)		
	A	B	C
02	2.00	6.60	4.60
03	4.00	8.60	6.60
04	6.00	10.60	8.60
05	8.00	12.60	10.60
06	10.00	14.60	12.60
07	12.00	16.60	14.60
08	14.00	18.60	16.60
09	16.00	20.60	18.60
10	18.00	22.60	20.60
11	20.00	24.60	22.60
13	24.00	28.60	26.60

LDZY

C2003 Series 2.00mm Pitch Series Wire to Wire Connectors

C2003HM-NP-POWH 2.00mm Pitch Single Row Housing




Reference Informations:
*Material:
Housing: PBT UL94V-0/White
*Suitable LDZY C2003 series Terminal
*Mates with LDZY C2003 Female Housing

Ordering Information & Dimensions

Poles	Dimensions (mm)		
	A	B	C
02	2.00	8.00	4.60
03	4.00	10.00	6.60
04	6.00	12.00	8.60
05	8.00	14.00	10.60
06	10.00	16.00	12.60
07	12.00	18.00	14.60
08	14.00	20.00	16.60
09	16.00	22.00	18.60
10	18.00	24.00	20.60
11	20.00	26.00	22.60
13	24.00	30.00	26.60

C2003TF-PT1 2.00mm Pitch Terminal




Reference Informations:
*Material: Phosphor Bronze/Tin-plated
*Mates with LDZY C2003 series Housing


Ordering Information & Specifications

Part No	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
C2003TF-PT1	AWG#24-#28	1.40mm(max)	Phosphor Bronze	Tin-plated	10,000pcs


C2003 Series 2.00mm Pitch Series Wire to Wire Connectors

C2003TM-PT1 2.00mm Pitch Terminal







Reference Informations:
*Material: Phosphor Bronze/Tin-plated
*Mates with LDZY C2003 series Housing



SEC:A-A



SEC:B-B



SEC:C-C

Ordering Information & Specifications

Part No	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
C2003TM-PT1	AWG#24-#28	1.40mm(max)	Phosphor Bronze	Tin-plated	10,000pcs